EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	"5764241".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/04 09:14
.3	24	(US-20060036756-\$).did. or (US-6762759-\$ or US-6608627-\$ or US-6503924-\$ or US-6539324-\$ or US-5514354-\$ or US-5544291-\$ or US-5544291-\$ or US-5544291-\$ or US-5544291-\$ or US-6522787-\$ or US-6380934-\$ or US-6380934-\$ or US-6380934-\$ or US-6380934-\$ or US-6380934-\$ or US-6380934-\$ or US-650578-\$ or US-6520578-\$ or US-6525731-\$ or US-6525731-\$ or US-6525845-\$ or US-652650-\$ or US-65569843-\$ or US-656668627-\$ or US-656666827-\$ or US-656668627-\$ or US-656666827-\$ or US-656666827-\$ or US-656666627-\$ or US-65666627-\$ or US-656666627-\$ or US-656666627-\$ or US-656666627-\$ or US-65666627-\$ or US-65	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/04 09:32
L4	4	L3 and (scene or pass) near2 (database or warehouse or repository)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/04 09:33
L5	1	L3 and (scene or pass or job or render\$4) near4 dependency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/04 10:10
L6	11	@ad<"20000428" and (scene or pass or job or render\$4) near4 dependency near4 graph	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	AND	ON	2008/03/04 10:10

L7	25	(US-20060036756-\$), did. or (US-6762759-\$ or US-6608627-\$ or US-6593924-\$ or US-6519354-\$ or US-5519354-\$ or US-5519354-\$ or US-5550222-\$ or US-574566-\$ or US-5544291-\$ or US-6522787-\$ or US-638054-\$ or US-638054-\$ or US-638054-\$ or US-638054-\$ or US-6570578-\$ or US-6437565-\$ or US-6437565-\$ or US-6437565-\$ or US-659429274-\$ or US-6229274-\$ or US-6229274-\$ or US-6525731-\$ or US-6538654-\$ or US-6525731-\$ or US-653653-\$ or US-6559643-\$ or US-655963-\$ or US-6559643-\$ or US-655	US-PATE, USPAT; DERWENT	AND	ON	2008/03/04
L8	16	L7 and (render\$4 or job or task or process\$4) near3 (cost or time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/04 11:26
L9	60	"mental images".as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/04 11:35
L10	7	"mental images".as. and (three adj dimension\$3). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/04 11:36
L11	8	"mental images".as. and (((three or two)adj dimension\$3) or 3D or 2D).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/04 11:37
L12	4	"5761663".pn. or "5742289".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/04 12:00

L13	2	"0899672"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/04 12:00
L14	0	boeing.as. and "1999-03- 03"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/04 12:00
L15	5	"臣 0 899 672"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/04 12:01
L16	4	"5968167".pn. or "5202987".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/04 12:03
S1	1825	@ad<"20000428" and (render\$5 or generat\$5) near5 (3-D or 3D or (three adj dimension\$3) or "three-dimensional") near5 (2-D or 2D or (two adj dimension\$3) or "two-dimension\$3) or "two-dimension\$3) or "two-dimension\$3)	US PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OX	2007/10/02 11:16
S2	425	@ad<"2000428" and image near2 (render\$5 or generat\$5) near5 (3-D or 3D or (three adj dimension\$3) or "three-dimension\$1) near5 (2-D or 2D or (two adj dimension\$3) or "two-dimension\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 11:27
S3	39	@ad<"2000428" and (image near2 render\$4). ab. and image near2 (render\$5 or generat\$5) near5 (3-D or 3D or (three adj dimension\$3) or "three-dimensional") near5 (2-D or 2D or (two adj dimension\$3) or "two-dimensional")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 11:18

S4	9	(US-6762759-\$ or US-6608627-\$ or US-6593924-\$ or US-6519354-\$ or US-5850222-\$ or US-5745666-\$ or US-5544291-\$), did. or (US-6608627-\$ or US-6559843-\$), did.	USPAT; DERWENT	**************************************	700 	2007/10/02 11:27
S 5	0	S4 and (render\$4 near4 server)	USPAT; DERWENT	AND	ON	2007/10/02 11:27
S6	1	@ad<"20000428" and (image near2 render\$5) near4 (scene near2 select \$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 12:53
S7	3	@ad<"20000428" and (image near2 render\$5) near4 (client near2 request\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 11:29
S8	116	@ad<"20000428" and (image near2 render\$5) near4 (scene near2 (data or graphic or image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 12:54
S9	17	@ad<"2000428" and ((image near2 render\$5) near4 (scene near2 (data or graphic or image))) and ((scene near2 (data or graphic or image)) near5 (several or many or plural\$3) near2 scene)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND		2007/10/02 13:01
S10	0	@ad<"20000428" and ((image near2 render\$5) near4 (scene near2 (data or graphic or image))) and ((scene near2 (data or graphic or image)) near5 (several or many or plural\$3) adj scene)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 12:55
S11	6	@ad<"2000428" and ((image near2 render\$5) near4 (scene near2 (data or graphic or image))) and ((scene near2 (data or graphic or image)) near2 (select\$5 or choos \$5))	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	0 0 0 0	2007/10/02 13:03

S12	25	@ad<"20000428" and ((image near2 render\$5) near4 (scene near2 (data or graphic or image))) and (scene near2 (select \$5 or choos\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 13:04
S13	10	"driemeyer, thomas".in. and "herken, rolf".in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/03 10:23
S14	125	("three-dimensional" or "three-dimension" or "three-dimension" or "three dimensional" or 3-D or 3D) near3 (source or input or scene or composition) near5 (render\$4 or creat\$5) near5 ("two-dimension" or "two-dimension" or "	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/03 10:26
S15	40	@ad<"20000428" and ("three-dimensional" or "three-dimension" or "three dimension" or "three dimension" or 3-D or 3D) near3 (source or input or scene or composition) near5 (render\$4 or creat\$5) near5 ("two-dimensional" or "two-dimension" or "two-dimensional" or 2-D or 2-D near3 (image or result or output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/03 10:27

S16	35	@ad-"20000428" and ("three-dimensional" or "three-dimension" or "three dimension" or "three dimension" or "three dimension" or 3-D or 3D) near3 (source or input or scene or composition) near5 (render\$4 or creat\$5) near2 ("two-dimension" or "two-dimension" or "two-dimension" or "two-dimension" or "two-dimension" or "two-dimension" or "2D) near3 (image or result or output)	US-PATUB; US-PAT; EPO; JPO; DEFWENT; IBM_TDB	AND	ON	2008/03/03
S17	86	@ad<"20000428" and (quicktime adj (VR or "virtual reality"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/03 11:32
S18	22	(US-20060036756-\$). did. or (US-6762759-\$ or US-6608627-\$ or US-6593924-\$ or US-6593924-\$ or US-5745666-\$ or US-5745666-\$ or US-5745666-\$ or US-5745666-\$ or US-5745666-\$ or US-5745664-\$ or US-638934-\$ or US-638934-\$ or US-638934-\$ or US-638576-\$ or US-638576-\$ or US-638576-\$ or US-6525731-\$ or US-6525731-\$ or US-6225731-\$ or US-6225731-\$ or US-6225731-\$ or US-6225731-\$ or US-6608627-\$ or US-6608627-\$ or US-6608627-\$ or US-6559843-\$). did. or (US-6559843-\$). did.	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/03
S19	7	S18 and (user adj interface or GUI or UI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	AND	ON	2008/03/03 13:52

S20	5	S18 and (user adj interface or GUI or UI) and ((select\$4 or choos \$4 or determin\$4 or define or defining) near5 (pass or scene))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	O	2008/03/03 13:58
S22	10	S18 and((select\$4 or choos\$4 or determin\$4 or define or defining) near5 scene)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/03 14:50
S23	9	S18 and ((select\$4 or choos\$4 or determin\$4 or define or defining) near3 scene)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/03 14:58
S24	6	S18 and ((select\$4 or choos\$4 or determin\$4 or define or defining) near3 scene) and (plurality or many or several or list or database or repository) near2 scene	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON 	2008/03/03 15:03
S25	543	@ad<"2000428" and ("three-dimensional" or "three-dimension" or "three dimension" or "three dimensional" or 3-D or 3D) near3 (source or input or scene or composition) near5 (render\$4 or creat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/03 15:09
S26	198	S25 and((select\$4 or choos\$4 or determin\$4 or define or defining) near5 scene)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/03 15:09
S27	13	\$25 and ((select\$4 or choos\$4 or determin\$4 or define or defining) near5 scene) near5 render	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/03 15:10
S28	3	\$25 and ((select\$4 or choos\$4 or determin\$4 or define or defining) near2 scene) near5 render	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	AND	ON	2008/03/03 15:15

S29	129	S25 and ((select\$4 or choos\$4 or determin\$4 or define or defining) near2 scene)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	MON	2008/03/03 15:15
S30	41	\$25 and ((select\$4 or choos\$4 or determin\$4 or define or defining) adj scene)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/03 15:16
831	23	(US-20060036756-\$), did. or (US-6762759-\$) or US-6608627-\$ or US-6593924-\$ or US-6593924-\$ or US-5519354-\$ or US-5519354-\$ or US-5519354-\$ or US-5544291-\$ or US-6522787-\$ or US-632934-\$ or US-6380934-\$ or US-6380934-\$ or US-6370578-\$ or US-6370578-\$ or US-6370578-\$ or US-6570578-\$ or US-6570578-\$ or US-6570578-\$ or US-6570578-\$ or US-6570578-\$ or US-6570578-\$ or US-6580573-\$ or US-6525731-\$ or US-6526731-\$ or US-6526731-\$ or US-6526731-\$ or US-6538654-\$), did. or (US-6508627-\$ or US-655842-\$), did.	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/03
S32	1	S31 and "user interaction control module"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/03 15:36
S33	1	S31 and (customization or customiz\$5) near4 represent\$4 near2 images	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/03 16:26
S34	1	S31 and ((customization or customiz\$5) near4 represent\$4 near2 images) and (control near3 one near3 client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	AND	ON	2008/03/03 17:07

S35	1	S31 and "operator graph"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/03 17:44
S36	18	sequenc\$4 or graph\$4 or timeline or connect\$4) near3 (opeartor or render	JPO;	AND	ON	2008/03/03 17:51
S37	3	sequenc\$4 or graph\$4 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/03 17:52
S38	9	sequenc\$4 or graphing or timeline or connect\$4) near3 (opeartor or render		AND	ON	2008/03/03 17:55

3/4/2008 12:06:57 PM C:\ Documents and Settings\ jfrink1\ My Documents\ EAST\ Workspaces\ 844511.w sp